ЛОС



E2475SWJ

23.6 inch (59.9 cm) LCD MONITOR

Ready to tackle the most demanding tasks





Integrated Speakers

Built-in speakers make it easy to catch up with family, friends and colleagues. For movies, music, games and more, you'll enjoy quality audio without the hassle of connecting external speakers.



Kensington Lock

Kensington Lock is an anti-theft system, comprising a metal-reinforced hole in the body of the respective device, to use with a metal cable secured with a key/lock system. Kensington locks enable you to secure your AOC monitor during a LAN event, an organisation, or wherever you carry it.



Vesa Mount

AOC's Ergo Base stands bring versatility, sturdiness and ease of use in one package. But do you still want to use your wall mount or multi-monitor setup using desk mounts? VESA mounts bring you the uppermost flexibility. Upside-down, in pivot mode, on top of each other, attach your monitor wherever you want using 3rd party mounts and stands thanks to the VESA mount option.

HDMI



HDMI (High-Definition Multimedia Interface) is supported by the current gaming consoles, current GPUs, set-top boxes, supporting the HDCP digital content protection system. HDMI 1.3-1.4b versions support up to 144 Hz refresh rate@1080p and 75 Hz@1440p, while HDMI 2.0-2.0b versions support 240Hz@1080p, 144Hz@1440p and 60 Hz@2160p (4K).

General

Carton Dimensions (mm)

630x418x128 mm

Screen Details

Color	Black
Resolution	1920x1080 PX
Refresh rate	60Hz
Response time	1 ms
Panel	TN
Backlight	WLED
flickerfree	1
Aspect ratio	16:9
Brightness (typical)	250 cd/m ²
Contrast (dynamic)	50M:1
Contrast (static)	1000:1
Pixel Pitch (H) (V)	0.2715
Diagonal (inch)	23.6 inch
Active Screen Area (WxH) (mm)	521,28x293,32 mm mm
Viewing angle (CR10)	170/160 º
Display Colours	16.7 Million
Scanning Frequency	30-83khz/50-76hz
OSD languages	EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP

Connections

Signal Input	HDMI 1.4 x 1, VGA, DVI
Audio output	Headphone out (3,5mm)
Built-in Speakers	2 W x 2

What's in the box

VGA cable (m) (1,8 m), DVI cable (m) (1,8 m), DisplayPort Cable (m) (1,8 m), Audio Cable (m) (1,8 m), Power Cable C13 (1.8 m),

Sustainability

• Environmental and energy: RoHS, Lead-free, Mercury Free

Recyclable packaging material: 100 %

Ergonomics

Tilt	-5/23.5 °
Vesa Wallmount	100x100

Power details

Powersupply	Internal
Powersource	100 - 240V 50/60Hz
Power Consumption	On 20 watt, Off 0.5 watt Standby 0.5 watt,

Dimensions

Product Dimensions (incl base) (mm)	558.8x424.6x198.5 mm
Carton Dimensions (mm)	630x418x128 mm
Net Weight (excl package) (kg)	3.25 Kg
Gross Weight (incl package) (kg)	3.64 Kg

Warranty

Warranty Period	3 Years
EAN	4038986145510
MTBF	50.000 hours

Regulations

TUV-GS 1, TUV-Bauart 1, CE 1, TCO 7, energystar 1, EPEAT Yes, FCC 1, EAC 1, Rohs compliant 1,





ЛОС



