

# **E2275SWQE**

21.5 inch (54.6 cm) LCD MONITOR

Vibrant viewing, energy-efficient performance



#### Fast 2ms response time

These displays make sure you'll never miss out on the action. Quick 2ms response time virtually eliminates ghosting and blur, making it ideal for gaming, watching movies or editing videos.

From high-speed car chases to fast-paced combat, you'll always enjoy an immersive, lag-free viewing experience.



#### **Full HD Resolution**

Want to watch a Blu-ray movie in full quality, enjoy games in high resolution or read crisp text in office applications? Thanks to its Full HD resolution of 1920 x 1080 pixels, this monitor lets you do just that. Whatever you are viewing, with Full HD it will be displayed in rich detail without requiring a high-end graphics card or consuming a lot of your system's resources.



#### **Vesa Mount**

AOC's Ergo Base stands bring versatility, sturdiness and ease of use in one package. But do you still want to use your wall mount or multi-monitor setup using desk mounts? VESA mounts bring you the uppermost flexibility. Upside-down, in pivot mode, on top of each other, attach your monitor wherever you want using 3<sup>rd</sup> party mounts and stands thanks to the VESA mount option.



### **Display Port**

The most recent display interface standard from VESA, DisplayPort can also transfer audio, USB and other forms of data. DisplayPort version 1.2-1.2a support up to 165 Hz@1440p, 75 Hz@2160p, version 1.3 supports up to 240Hz@1440p, 120 Hz@2160p and the version 1.4 supports HDR10 specifications.



#### **2ms Response Time**

A pixel response time of 2ms GTG means speed without the smear for an enhanced experience. Fast-moving action and dramatic transitions will be rendered smoothly without the effects of ghosting.

#### General

Model name	E2275SWQE
EAN	4038986126144
Product Line	Essential-line
Series	75 Series
Classification	Mainstream
Section	Business
Launch date	30-12-2014

### Screen

Resolution	1920x1080
Refresh rate	60Hz
Screen size (inch)	21.5 inch
Screen size (cm)	54.6 cm
Backlight	WLED
Panel Type	TN
Display Colours	16.7 Million
Active Screen Area (HxW)	477.5x268.5 mm
Pixel Pitch	248
Scanning Frequency	30-83khz/55-75Hz
Pixel Frequency	148.5MHZ
Response time (GtG)	2 ms
Contrast (static)	1000:1
Contrast (dynamic)	200M:1
Brightness (typical)	250 cd/m <sup>2</sup>
OSD languages	EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP

### Exterior

Monitor colour	Black
Bezel Type	Normal

## **Ergonomics**

Vesa Wallmount	100x100

### Multimedia

Audio output	Headphone out (3,5mm)

## **Connectivity and Multimedia**

Signal Input	HDMI 1.4 x 1, DisplayPort 1.1 x 1, VGA	

### What's in the Box?

VGA cable	1,8 m
Displayport Cable	1,8 m
Audio Cable	1,8 m
Power Cable C13	1,8 m

### Power / Environmental

Powersupply	Internal
Powersource	100 - 240V 50/60Hz
PowerConsumption On (Energystar)	17.1 watt
PowerConsumption Standby (Energystar)	0.3 watt
PowerConsumption Off (Energystar)	0.3 watt
EnergyClass	A+

## Approbations / Regulations

TCO	7
EPEAT	Yes
Listed on Epeat Website	/
TUV-GS	/
CE	/
FCC	/
EAC	/
Rohs compliant	•

## Warranty

Pixel Policy	ISO 9241-307
Warranty Period	3 Years
MTBF	50.000 hours

## **Dimensions / Weights**

Product height (mm)	193.5
Product width (mm)	551
Product depth (mm)	395.4
Packaging Dimensions (L x W x H)	560x120x390 mm
Product Dimensions (incl base)	504x193.5x395.4 mm
Gross Weight (including package)	4.5 Kg
Net Weight (excluding package)	3.15 Kg

### Texts and USP

Marketing title	21.5 inch 1920x1080@60Hz 2 ms TN HDMI 1.4 x 1, VGA, DisplayPort 1.1
	x 1

F	eatures	

Flicker-free