

# M2470SWD2

## 23.6 inch (59.9 cm) LCD MONITOR

23.6-inch WLED display with Full HD resolution, quick response times, high contrast ratios and MVA panel technology for extra-wide viewing angles





## MVA Panel

The MVA (Multi-Domain Vertical Alignment) panel displays deeper blacks and a -high contrast for extra vivid and bright images.



## **Full HD Resolution**

Want to watch a Blu-ray movie in full quality, enjoy games in high resolution or read crisp text in office applications? Thanks to its Full HD resolution of 1920 x 1080 pixels, this monitor lets you do just that. Whatever you are viewing, with Full HD it will be displayed in rich detail without requiring a high-end graphics card or consuming a lot of your system's resources.



## Kensington Lock

Kensington Lock is an anti-theft system, comprising a metal-reinforced hole in the body of the respective device, to use with a metal cable secured with a key/lock system. Kensington locks enable you to secure your AOC monitor during a LAN event, an organisation, or wherever you carry it.



### Vesa Mount

AOC's Ergo Base stands bring versatility, sturdiness and ease of use in one package. But do you still want to use your wall mount or multi-monitor setup using desk mounts? VESA mounts bring you the uppermost flexibility. Upside-down, in pivot mode, on top of each other, attach your monitor wherever you want using 3<sup>rd</sup> party mounts and stands thanks to the VESA mount option.

#### General

Model name	M2470SWD2
EAN	4038986144957
Product Line	Essential-line
Series	70 Series
Channel	B2C
Classification	Mainstream
Section	Consumer
Launch date	30-12-2014
Product status (EU)	Active

#### Screen

Resolution	1920x1080
Refresh rate	60Hz
Screen size (inch)	23.6 inch
Screen size (cm)	59.9 cm
Backlight	WLED
Panel Type	MVA
Aspect ratio	16:9
Display Colours	16.7 Million
Active Screen Area (HxW)	521.28x293.32 mm
Pixel Pitch	0.2715
Scanning Frequency	30-83khz/50-76hz
Pixel Frequency	165 MHz
Response time (GtG)	5 ms
Contrast (static)	3000:1
Contrast (dynamic)	50M:1
Brightness (typical)	250 cd/m <sup>2</sup>
Viewing angle (CR10)	178/178 <sup>°</sup>
OSD languages	EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP

Exterior

Monitor colour	Black
Bezel Type	Normal

Ergonomics

Vesa Wallmount	100x100
Tilt	-5/25 °

#### **Connectivity and Multimedia**

0. 1	A
Signal	Input

#### What's in the Box?

VGA cable	1,2 m
DVI cable	1,5 m
Power Cable C7	1.2 m

#### **Power / Environmental**

Powersupply	Internal
Powersource	100 - 240V 50/60Hz
PowerConsumption On (Energystar)	17.96 watt
PowerConsumption Standby (Energystar)	0.37 watt
PowerConsumption Off (Energystar)	0.19 watt

## Approbations / Regulations

тсо	7
EPEAT	No
TUV-GS	1
CE	1
FCC	1
EAC	1
Rohs compliant	1

## Warranty

Pixel Policy	ISO 9241-307
Warranty Period	3 Years
MTBF	50.000 hours

## **Dimensions / Weights**

Product height (mm)	400.4
Product width (mm)	551.3
Product depth (mm)	221
Packaging Dimensions (L x W x H)	620x435x127 mm
Product Dimensions (incl base)	551.4x400.4x221 mm
Gross Weight (including package)	5.14 Kg
Net Weight (excluding package)	3.51 Kg

## Texts and USP

Marketing title	23.6 inch 1920x1080@60Hz 5 ms MVA VGA, DVI