

TAKE YOUR FUN UP A NOTCH

Reach new possibilities with the OMEN by HP 27-inch QHD 165Hz Gaming Monitor. Quick performance and vibrant color let you get lost in the games you love most, while the sleek design functions to look and feel great on your desk.



*Product image may differ from actual product



NO LAG. ALL SPEED.

Frame by frame, experience all the action with no distractions. To keep things smooth, this display boasts a fast 165Hz refresh rate and 1ms GTG response time with Overdrive to cut motion blur¹, so every pixel keeps up with you. Leave screen tearing and lag in the dust, thanks to AMD FreeSync™ Premium technology².



SEE A WORLD YOU CAN STEP INTO

Mistake virtual for IRL while you explore your favorite worlds with the crisp visuals of QHD resolution³. For lifelike gameplay, escape into a wide array of vibrant colors, hues, and shades with the 99% sRGB and 95% DCI-P3 color gamut¹. Even in shadow, easily make out details and shading with HDR and up to 400 nits of brightness¹.



REFINE YOUR PLAY SPACE

Made to impress in and out of game, the new OMEN look blends sophistication and fun to elevate what a gaming setup can look like. It's equipped with ports perfect for connecting your gaming PC, console, and even a work PC. Thanks to the easy cable management and the adjustable stand, your desk will be just how you like it.



ALL YOUR FUN, CUSTOM

Play around with every possible setting in OMEN Gaming Hub⁴—a one-stop shop for customizing your ecosystem. Make your monitor, any PC, and select accessories work better together the way you want. From hardware to software enhancements, OGH elevates play in an easy and simple way.

Featuring

QHD Resolution

Get lost in the captivating definition and sharp details of 3.7 million pixels. 2560 x 1440 Quad HD resolution transforms all your content for a remarkable entertainment experience on this 27" diagonal monitor.³

165Hz refresh rate

Crisp action and responsive gameplay with virtually no artifacting or screen tearing.¹

HDR

Explore new worlds with richer colors thanks to a peak brightness of 400 nits. 1

More Colors to Play With

Get deeper hues and a wide array of colors with 99% sRGB and 95% DCI-P3 for precisely recreated colors so lifelike you get lost in your gameplay. 1

1ms GTG Response Time with Overdrive

Eliminates motion blur for crisp, fluid gameplay no matter what's happening on-screen. ¹

AMD FreeSync™ Premium Technology

Game confidently with a high refresh rate, low framerate compensation, and low latency.²

VESA Certified AdaptiveSync

VESA Certified AdaptiveSync guarantees higher refresh rates and low latency, optimized for gaming.⁵

Plenty of ports

Easily connect your devices with two HDMI 2.0 ports, one DisplayPort™ 1.4, and one 3.5 mm headphone jack.⁶

New Design Unlocked

The new OMEN look blends sophistication and fun to elevate your gaming setup.

IPS Technology

Image accuracy and consistency across wide 178-degrees viewing angles, no matter where you stand.

VESA Certified ClearMR 5000

Easily compare the amount of motion blur between VESA Certified ClearMR displays with Clear Motion Ratio (CMR).7

Console Compatible

Over 140 test cases to ensure it's compatible with your choice of console.

Fully adjustable stand

Find comfort while you game with tilt, pivot, and 100 mm height adjustments.

HP Eye Ease with Eyesafe® Certification

Keep your screentime comfortable with beautiful colors while reducing blue light.

OMEN Gaming Hub

From software enhancements to hardware control, and live services, OGH elevates play in an easy and simple way.⁴

Materials that Matter

Contains 85% post-consumer recycled plastics.8

Thoughtful Product Packaging

100% recyclable packaging that can stay out of landfills.^{9,10}

Mindful metals

Engineered to contain 10% recycled metals.¹¹

Effortless Joypad OSD Button

Easy on-screen display settings with the joypad OSD button.

Integrated Cable Management

Help keep your workspace clean and organized.







UPC number 11 Display size 6i Display colors U Aspect ratio 11 Display type IP Pixel pitch 0. Response time 11	780H4AA#ABB;; #A2N; #ABT; #ABU; #ABV; #ABY; #ACQ; #UUG; #UUZ 197029616531
Display size 6i Display colors U Aspect ratio 1i Display type IP Pixel pitch 0. Response time 1i	197029616531
Display colors U Aspect ratio 11 Display type IP Pixel pitch 0. Response time 11	
Aspect ratio 11 Display type IP Pixel pitch 0. Response time 11	58.6 cm (27°)
Display type IP Pixel pitch 0. Response time 1.1	Up to 16.7 million colors supported
Pixel pitch 0. Response time 1:	6.9 ¹
Response time 1	PS PS
	D.23 x D.23 mm
Brightness 4	1ms GtG (with overdrive)
	400 nits ¹
Contrast ratio 1	1000:1
Display contrast ratio (dynamic)	1000000:1
Product color B	Black
Display Color Gamut 99	99% srGB; 95% DCI-P3
Resolution (maximum) Q	QHD (2560 x 1440 @ 165 Hz)
Resolutions supported 6-	540 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080; 1920 x 1200; 2560 x 1440
Display scan frequency (horizontal)	30-255 kHz
Display scan frequency (vertical) 6	50-165 Hz (DisplayPort**); 55-144 Hz (HDMI)
Display features 0	On-screen controls; Pivot rotation; Anti-glare; Height adjustable; AMD Freesync™ Premium; Gaming Console Compatible; HP Eye Ease (Eyesafe® certified); HDR
Physical security features N	None
Environmental specifications Land 1.3.	ow Halogen; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 85% ITE-derived closed loop plastic 1,4,5,6
Energy efficiency En	Energy efficiency class: F; On-mode power consumption: 80 W (maximum); Annual energy consumption: 26 kWh; Standby; 0.5 W (standby); Power consumption (on-mode): 80 W (maximum); Power consumption (off-mode): 65 W (typical)
Display User Control Options	Management; Information; Exit; Input; Color; Image; Power; Menu; Gaming
Webcam N	No integrated camera
Operating temperature range 5	5 to 35°C
Operating temperature range 4	41 to 95°F
Operating humidity range 2	20 to 80% RH
Power supply 10	100 - 240 VAC 50/60 Hz
VESA mount	100 mm x 100 mm (bracket included)
Pixels per inch (ppi)	109 ppi
Panel bit depth Tr	True 8 bit
Vertical viewing angle 1	175°
	178°
	3-sided borderless
Tilt -5	-5 to +20°
Pivot ±	±90°
Height adjustment range	100 mm
	3H
Screen treatment A	Anti-glare
	/es
	/es, HP Eye Ease (Eyesafe® Certified)
	2 HDMI 2.0; 1 DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)
	/es, DisplayPort™ and HDMI
HDCP V4	DMEN Gaming Hub ⁸
	1 year limited warranty
Management software 0	
Management software 0 Warranty 1 Continuous and assertions Billians and assertions and assertions are also asserted assertions are also asserted assertions and asserted assertions are also asserted asserted assertions are also asserted assert	33; BSMI; CB; CCC; CE; CEI; CSA; EAC; FCC; ISO 9241-307; KC/KCC; Microsoft WHQL Certification; NOM; PSB; TUV Bauart; TUV LBL; VCC; WEEE; ISC; California Energy Commission (CEC); WW application; ICE; Ukraine
Management software 0 Warranty 1 Certifications and compliances Bl	rertificates; TÜV Flicker free certified; UAE safety; UAE RoHS; South Africa safety
Management software 0 Warranty 1 Certifications and compliances Bl ce What's in the box M	rentificates; TÜV Flicker free certified; UAE safety, UAE RoHS; South Africa safety Monitor; DisplayPort™ cable; Warranty card; Quick Setup Poster; AC power cord ⁷
Management software 0 Warranty 1 Certifications and compliances B Country of origin M	Tertificates; TÜV Flicker free certified; UAE safety; UAE RoHS; South Africa safety Monitor; DisplayPort [™] cable; Warranty card; Quick Setup Poster; AC power cord ⁷ Made in China
Management software 0 Warranty 1 Certifications and compliances Bit of the compliance of the complia	Monitor; DisplayPort™ cable; Warranty card; Quick Setup Poster; AC power cord ⁷ Made in China 51.36 x 5.22 x 36.43 cm (without stand)
Management software 0 Warranty 1 Certifications and compliances Bit occurrences What's in the box M Country of origin M Dimensions (W x D x H) 6 Weight 7	Sertificates; TÜV Flicker free certified; UAE safety; UAE RoHS; South Africa safety Monitor; DisplayPort™ cable; Warranty card; Quick Setup Poster; AC power cord ⁷ Made in China 51.36 x 5.22 x 36.43 cm (without stand) 7.41 kg (with stand)
Management software 0 Warranty 1 Certifications and compliances Bit occurrences What's in the box M Country of origin M Dimensions (WxDxH) 6 Weight 7 Package dimensions (WxDxH) 6	Sertificates; TÜV Flicker free certified; UAE safety; UAE RoHS; South Africa safety Monitor; DisplayPort™ cable; Warranty card; Quick Setup Poster; AC power cord ⁷ Made in China 51.36 x 5.22 x 36.43 cm (without stand) 7.41 kg (with stand) 59.9 x 16 x 44.6 cm
Management software 0 Warranty 1 Certifications and compliances Bit occurrences What's in the box M Country of origin M Dimensions (WxDxH) 6 Weight 7 Package dimensions (WxDxH) 64 Package weight 1	Monitor; DisplayPort™ cable; Warranty card; Quick Setup Poster; AC power cord ⁷ Made in China 51.36 x 5.22 x 36.43 cm (without stand) 7.41 kg (with stand) 59.9 x 16 x 44.6 cm
Management software 0 Warranty 1 Certifications and compliances BI SEC What's in the box M Country of origin M Dimensions (W x D x H) 6 Weight 7 Package dimensions (W x D x H) 6 Package weight 11 Pallet (layers) 4	Monitor; DisplayPort™ cable; Warranty card; Quick Setup Poster; AC power cord ⁷ Made in China 51.36 x 5.22 x 36.43 cm (without stand) 7.41 kg (with stand) 59.9 x 16 x 44.6 cm 10.41 kg 4 layers per pallet (20 ft & 40 ft); 5 layers per pallet (40 ft HQ); 5 layers per slip sheet
Management software 0 Warranty 1 Certifications and compliances Bit occurrences What's in the box M Country of origin M Dimensions (W x D x H) 6 Weight 7 Package dimensions (W x D x H) 6 Package weight 10 Pallet (layers) 4 Products per layer 7	Tertificates; TÜV Flicker free certified; UAE safety; UAE ROHS; South Africa safety Monitor; DisplayPort ** cable; Warranty card; Quick Setup Poster; AC power cord ** Made in China 51.36 x 5.22 x 36.43 cm (without stand) 7.41 kg (with stand) 59.9 x 16 x 44.6 cm 10.41 kg 4 layers per pallet (20 ft & 40 ft); 5 layers per pallet (40 ft HQ); 5 layers per slip sheet 7 (slip sheet and pallet)
Management software 0 Warranty 1 Certifications and compliances Bit of the control of	Amoritor; DisplayPort TM cable; Warranty card; Quick Setup Poster; AC power cord ⁷ Made in China 51.36 x 5.22 x 36.43 cm (without stand) 7.41 kg (with stand) 59.9 x 16 x 44.6 cm 10.41 kg 4 layers per pallet (20 ft & 40 ft); 5 layers per pallet (40 ft HQ); 5 layers per slip sheet 7 (slip sheet and pallet) 28 sets per pallet (20 ft & 40 ft); 35 sets per pallet (40 ft HQ); 35 sets per slip sheet
Management software 0 Warranty 1 Certifications and compliances Bit of the control of	Amortior; DisplayPort TM cable; Warranty card; Quick Setup Poster; AC power cord ⁷ Made in China 51.36 x 5.22 x 36.43 cm (without stand) 7.41 kg (with stand) 59.9 x 16 x 44.6 cm 10.41 kg 41 layers per pallet (20 ft & 40 ft); 5 layers per pallet (40 ft HQ); 5 layers per slip sheet 7 (slip sheet and pallet) 28 sets per pallet (20 ft & 40 ft); 35 sets per pallet (40 ft HQ); 35 sets per slip sheet pallet: 113 x 70.9 x 192.6 cm (20 ft & 40 ft); pallet: 113 x 70.9 x 237.5 cm (40 ft HQ); slip sheet: 113 x 70.9 x 225.5 cm (40 ft HQ)
Management software 0 Warranty 1 Certifications and compliances Bit of the control of	Amoritor; DisplayPort TM cable; Warranty card; Quick Setup Poster; AC power cord ⁷ Made in China 51.36 x 5.22 x 36.43 cm (without stand) 7.41 kg (with stand) 59.9 x 16 x 44.6 cm 10.41 kg 4 layers per pallet (20 ft & 40 ft); 5 layers per pallet (40 ft HQ); 5 layers per slip sheet 7 (slip sheet and pallet) 28 sets per pallet (20 ft & 40 ft); 35 sets per pallet (40 ft HQ); 35 sets per slip sheet

Messaging Footnotes

- 1 All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary, either higher or lower.
- ² Requires a monitor and AMD Radeon graphics, both with FreeSync Premium support. AMD FreeSync™ Premium requires mandatory low framerate compensation and at least 120 Hz refresh rate at minimum FHD. See www.amd.com/freesync for complete details. Confirm capability with your system manufacturer before purchase. GD-161.
- ³ Quad high-definition (QHD) content required to view QHD images.
- ⁴ Account required for full functionality. See OMEN Gaming Hub terms and conditions. Support level for non-HP products may be subject to change. Some animation effects may consume more CPU resources.
- 5 VESA Certified Adaptive Sync is the high-performance Monitor and Display Compliance Test Specification from VESA specifying display visual performance on variable refresh rate displays. See https://www.adaptivesync.org/ for more details.
- ⁶ AC Power cord and DisplayPort™ cable included. All other cables sold separately.
- VESA Certified ClearMR is the high-performance Monitor and Display Compliance Test Specification from VESA that provides a clear numerical value based on the ratio of clear pixels to blurry pixels. See https://www.clearmr.org/ for more details.

 8 Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT® standard.
- ⁹ 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.
- ¹⁰ Recycling facilities not available in all locations.

 ¹¹ Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.

Technical Specifications Footnotes

- ¹ All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower
- ² DisplayPort™ 1.4 or HDMI 2.0 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 8-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 and include one DisplayPort™ or one HDMI outputs to drive the monitor at the Preferred Mode.
- ³ External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.
 ⁴ ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.
- 5 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers. 6 Molded pulp cushions are made from 100% recycled wood fiber and organic materials.

- Included cables may vary by country.
 Host PC requires Windows 10. OMEN Gaming Hub is available on the Microsoft store.

