# іїуата

## G-MASTER G3266HS-B1 📾



Gold Phoenix - immerse yourself in the game with a 32" curved monitor featuring 144Hz refresh rate

Imagine yourself sitting in front of a 32-inch curved panel. The screen size and the curved design make it easy to perceive all the action happening on the screen. Nothing disturbs your attention. Grab your headset from the hook at the back of the monitor and step into the game. Enjoy sharp, vivid colours guaranteed by VA panel technology.

The gameplay is smooth. FreeSync technology and 144Hz refresh rate eliminate ghosting and smearing so you can make split second decisions. Immerse yourself and win.



FREESYNC™ TECHNOLOG\



SPEAKERS AND HEADPHONES

Playing with friends? Use the integrated high quality speakers. Don't want to disturb anybody? Plug your headset to the headphone socket and turn up the volume!

### 1. DISPLAY CHARACTERISTICS

DIAGONAL

31.5"; 80cm

ASPECT RATIO

PANEL	VA LED, matte finish, curved (1800R)
NATIVE RESOLUTION	Full HD 1080p, 1920 x 1080 @144Hz (DVI/HDMI/DisplayPort) (2.1 megapixel)
BRIGHTNESS	300 cd/m² typical
CONTRAST	3000 : 1 typical
CONTRAST	50 000 000 : 1 ACR
RESPONSE TIME	3ms
VIEWING ZONE	horizontal/vertical: 178°/ 178°; right/left: 89°/ 89°; up/down: 89°/ 89°
DISPLAY COLOUR	16.7 million
BLUE LIGHT REDUCER	yes
FLICKER FREE LED	yes
DISPLAY AREA H X W	392.85 x 698.4 mm; 15.6" x 27.5"
PIXEL PITCH H X V	0.364 x 0.364 mm
RESOLUTIONS	VGA: max. 1920 x 1080 @60Hz, DVI/HDMI/DisplayPort: max. 1920 x 1080 @144Hz
HORIZONTAL SYNC	VGA: 30 - 82kHz, DVI/HDMI/DisplayPort: 30 - 180kHz
VERTICAL SYNC	FreeSync: DisplayPort: 48 - 144Hz
SYNCHRONIZATION	Separate Sync

## 2. INTERFACES & CONNECTORS

ANALOG INPUT CONNECTOR	VGA
DIGITAL INPUT CONNECTOR	DVI, HDMI, DisplayPort
HDCP	yes;
HEADPHONE CONNECTOR	Yes
OUTPUT CONNECTOR	headphone socket

## 3. FEATURES

APPLE - MAC	All iiyama monitors are compatible with Apple-Macintosh computers.
PLUG & PLAY	VESA DDC2B™
CONTROLS	Via OSD in 11 languages (EN, FR, ES, PT, RU, DE, IT, CZ, NL, PL, JP) and 5 front controls (Power/ Menu, Scroll up, Scroll down/ ECO Mode, Left/ Input Select, Right/ Audio Adjust)
USER CONTROLS	luminance (contrast, brightness, i-Style Colour, ACR, OverDrive), image setup (clock, phase, H. position, V. position, aspect ratio, FreeSync), colour temperature, OSD setup (H. position, V. position, timeout, language), extra (input select, DDC/CI, reset, information, volume, audio source, auto configure)ro)
SPEAKERS	2 x 2 W (Stereo)
ANTI-THEFT-DEVICE	Kensington-lock™ prepared
CERTIFICATES	CE, TÜV-Bauart, CU
EXTRA FUNCTIONS	Supports FreeSync™ Technology, DisplayPort @144Hz
TILT ANGLE	12° up; 4° down
VESA MOUNTING	100 x 100 mm

#### 4. ACCESSORIES

INCLUDED ACCESSORIES	power cable, HDMI cable, DisplayPort cable, headphone hook, quick start guide, safety guide
----------------------	---------------------------------------------------------------------------------------------

#### 5. POWER MANAGEMENT

POWER SUPPLY	AC 100 - 240 V, 50 / 60 Hz
POWER SUPPLY UNIT	internal
POWER USAGE	41 W typical; max. 0.5 W in Power management mode
POWER MANAGEMENT	VESA DPMS

#### 6. EU ENERGY EFFICIENCY LABEL

|--|--|--|

This is information under Regulation (EU) No 1062/2010. \*Based on the power consumption of the television operating 4 hours per day for 365 days. The actual energy consumption will depend on how the television is used.

#### 7. DIMENSIONS & WEIGHT

DIMENSIONS W X H X D	721 x 545.5 x 254 mm
WEIGHT	8.2 kg

All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION ( ). ALL RIGHTS RESERVED.