


| | | | | | | | | | |
|--|--|----------------------------------|---------|---------------------------------|---------|----------------------------|---------|---------------------------------|---------|
| <p>Name LT1913p Square Flat Panel Monitor Case color Black Type-model 60FBHAR1US / 60FBHAT1US / 60FBHAT1EU Panel TFT-LCD, In-Plane Switching (IPS), White LED backlight Viewable image size 19.0" (480.0mm) diagonal Max view area (W x H) 14.76" x 11.80" (374.7mm x 299.8mm) Optimum resolution 1280x1024 Max pixel rate 205MHz (VGA), 165MHz (DVI) Aspect ratio 5:4 Pixel pitch (mm) 0.0976 (H) x 0.2928 (V) mm Dot/Pixel per Inch 86.8 dpi Brightness 250 nits or cd/m² (typical) Contrast ratio 1000:1 (typical) Pixel response time 7ms (typical) Color gamut 72% Viewing angle at 10:1 CR 178° horizontal, 178° vertical Stand Tilt, swivel, pivot, and height adjustable stand Bezel width Sides: 0.68" (17.4mm); top: 0.68" (17.4mm); bottom: 0.68" (17.4mm) Dimensions (HxWxD) 14.63" H x 16.18" W x 10.40" D; 371.5mm H x 411.0mm W x 264.2mm D Power supply 24 watts typical, 27 watts maximum, <0.5 watts standby/suspend, universal, integrated (no external brick-like power supply) Weight 10.69 lb; 4.85kg Limited warranty⁴ 3 year (includes backlight) Available date April 2015</p> | <p>Features</p> <ul style="list-style-type: none"> • 19-inch Square IPS LED backlight panel • Supports 1280x1024 resolution • Supports ThinkCentre Tiny Clamp Bracket • Mercury and arsenic free glass • Low Halogen • Recycled content in plastic material • Microsoft® Windows® 7 certified • Microsoft Windows 8 / Windows 8.1 certified • Microsoft Windows 10 certified | | | | | | | | |
| <p>VESA-compliant² VESA DDC2B/C1, EDID 1.3 Power management ENERGY STAR® 7.0 Ergonomics ISO 9241-307 Emission standards FCC Class B Environmental TCO Displays 7.0, TCO Certified Edge 1.1, WEEE, RoHS, EPEAT™ Gold rating, ULE Gold</p> <p>Preset resolutions VGA: 640x350, 640x480, 720x400 SVGA: 800x600, 823x624 XGA: 1024x768, 1152x864, 1152x900 SXGA: 1280x1024</p> <p>Presets / user settings Standard presets: 20; user settings: 20</p> |  <p>ThinkVision LT1913p Square Monitor</p> | | | | | | | | |
| <p>Viewing adjustments Tilt: 30° back, -5° forward; lift: 4.3" (110mm); swivel: +/- 45° Rotating screen Screen pivots 90 degrees from landscape to portrait On screen display On screen display with digital user controls (8 languages) Control features Direct access (buttons on front) for automatic image setup, input switch, and brightness Multiple input Dual input (two different PCs attach to two different connectors; one PC shows image; select via button) Monitor connectors (1) VGA 15-pin D-shell, analog, blue (2) Digital Visual Interface (DVI-D), digital, white, HDCP-compliant Signal cables (1) detachable, VGA 15-pin D-shell at each end, analog, 1.8 meter (2) detachable, DVI-D at each end, digital, 1.8 meter Mounting features Wall or desk mounting using the Extend Arm or third-party accessories meeting the VESA FPMPI® (100mm mount) Security Security keyhole for attachment of optional cable lock (Kensington® lock-compatible)</p> <p>Ship group Monitor, attached stand, Setup poster, Safety and Warranty Information, 1.8 meter analog signal cable, 1.8 meter DVI-D cable, 1.8 meter black power cord</p> | | | | | | | | | |
| <p>Limited Warranty</p> <p>See details at http://support.lenovo.com/en_US/guides-and-manuals/detail.page?DocID=UM008281</p> | <p>Accessories</p> <table border="0"> <tr> <td>Kensington MicroSaver Cable Lock</td> <td>73P2582</td> </tr> <tr> <td>Kensington Twin Head Cable Lock</td> <td>45K1620</td> </tr> <tr> <td>Lenovo Security Cable Lock</td> <td>57Y4303</td> </tr> <tr> <td>Lenovo Easy Reach Monitor Stand</td> <td>55Y9258</td> </tr> </table> <p>See details at www.lenovo.com/support/monitoraccessories</p> <p>See all monitors at www.lenovo.com/thinkvision</p> | Kensington MicroSaver Cable Lock | 73P2582 | Kensington Twin Head Cable Lock | 45K1620 | Lenovo Security Cable Lock | 57Y4303 | Lenovo Easy Reach Monitor Stand | 55Y9258 |
| Kensington MicroSaver Cable Lock | 73P2582 | | | | | | | | |
| Kensington Twin Head Cable Lock | 45K1620 | | | | | | | | |
| Lenovo Security Cable Lock | 57Y4303 | | | | | | | | |
| Lenovo Easy Reach Monitor Stand | 55Y9258 | | | | | | | | |

| Model | 60FBHAT1EU |
|--|---|
| Product | ThinkVision LT1913p Square |
| Region | EMEA |
| Color | Black |
| Panel | In-Plane Switching |
| Display Size | 19" |
| View Area | 374.8x299.8 mm |
| Resolution | 1280x1024 |
| Aspect Ratio | 5:4 |
| Pixel Pitch | 0.0976x0.2928 mm |
| Dot / Pixel Per Inch | 86.8 dpi |
| Brightness | 250 nits |
| Contrast Ratio | 1000:1 |
| Pixel Response Time | 7 ms |
| Color Gamut | 72% |
| View Angle (H / V) | 178 / 178 |
| Stand | Tilt, Swivel, Pivot, Height Adjust Stand |
| Side Bezel Width | 17.4 mm |
| Dimensions with Stand (HxWxD) | 371.5x411.0x264.2 mm |
| Power Consumption (Typical / Maximum) | 24W / 27W |
| Power Adapter | Integrated |
| Weight (Including Stand) | 10.69lb / 4.85kg |
| Warranty | 3-year |
| ENERGY STAR | ENERGY STAR 7.0 |
| TCO | TCO 7.0 |
| EPEAT | Gold |
| Presets / User Settings | 20 / 20 |
| On Screen Display | OSD, 8 Languages |
| USB Port | None |
| Speaker | None |
| Camera | None |
| Multiple Input | VGA, DVI |
| Monitor Cable | VGA, DVI |
| CPU / Platform | None / None |
| Display Ram / Storage / Card Slot | None / None / None |
| Wireless / Ethernet / Bluetooth | None / None / None |
| Touch Screen / Digitizer Pen / Battery | None / None / None |
| Operating System | Support Windows 7, Windows 8, Windows 8.1, Windows 10 |
| Ann Date (mm/yy) | 08/13 |

