

Philips Momentum Full HD Curved LCD display

Momentum

32 (31.5" / 80 cm diag.) 1920 x 1080 (Full HD)

322M8CP



Get in the moment

This Philips curved momentum monitor combines a 240Hz refresh rate with AMD FreeSync Premium. Gaming features for lifelike visuals, tear-free, and low latency gameplay while delivering wide viewing angles. Best for the most intense games.

Design to enhance the senses

· Curved display design for more immersive experience

Built for fast action

- AMD FreeSync [™] Premium; tear free, stutter free, fluid gaming
- Ultra-fast 240 Hz refresh rate for virtually lag-free gaming
- Low input lag reduces time delay between devices to monitor
- SmartImage game mode optimized for gamers
- 0.5 ms ultra-fast speed for crisp image and smooth gameplay

Superb Picture Quality

- VA display delivers awesome images with wide viewing angles
- Ultra Wide-Color wider range of colors for a vivid picture


Get comfortable

- LowBlue Mode for easy on-the-eyes productivity
- · Less eye fatigue with Flicker-free technology



Highlights

Curved display design



Desktop monitors offer a personal user experience, which suits a curve design very well. The curved screen provides a pleasant yet subtle immersion effect, which focuses on you at the center of your desk.

AMD FreeSync™ Premium





Gaming shouldn't be a choice between choppy gameplay or broken frames. AMD FreeSync™ Premium equips serious gamers with a fluid, tear-free gameplay experience at peak performance. There are no compromises, game confidently with a high refresh rate, low framerate compensation, and low latency.


Ultra-fast 240 Hz refresh rate



While playing the most intense engaging action-oriented games, ultra-fast 240 Hz refresh rate enhances an ultra-smooth, lag-free gaming experience. This Philips display redraws the screen image up-to 240 times per second, effectively faster than a standard display. Especially for fast-paced games like FPS and

racing games, 240 Hz gives a superior motion and clarity visuals. With Philips 240 Hz Momentum display, action sequences in gameplay look judder-free and ghost-free. You will experience deeper immersion and feeling alive in game.

Low Input Lag



Input lag is the amount of time that elapses between performing an action with connected devices and seeing the result on screen. Low input lag reduces the time delay between entering a command from your devices to monitor, greatly improve on playing twitchsensitive video games, particularly important to whom plays fast-paced, competitive games.

SmartImage Game mode



The new Philips gaming display has quick access OSD fine tuned for gamers, offering you multiple options. "FPS" mode (First person shooting) improves dark themes in games, allowing you to see hidden objects in dark areas. "Racing" mode adapts display with fastest response time, high color, along with image adjustments. "RTS" mode (Real time strategy) has a special SmartFrame mode which enables highlighting of specific area and allows for size and image adjustments. Gamer 1 and Gamer 2 enable you to save personal customized settings based on different games, ensuring best performance.

0.5 ms MPRT fast response



Philips Momentum display with 0.5 ms MPRT effectively eliminates smearing and motion blur, delivers shaper and precise visuals to enhance gaming experience. Fast-moving action and dramatic transitions will be rendered smoothly. Best choice for playing thrilling and twitch-sensitive games.

Ultra Wide-Color Technology





Ultra Wide-Color Technology delivers a wider spectrum of colors for a more brilliant picture. Ultra Wide-Color wider "color gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring, media entertainment, images, and even productivity more alive and vivid colors from Ultra Wide-Color Technology.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.





















Specifications

Picture/Display

- LCD panel type: VA LCD
- Backlight type: W-LED system
- Panel Size: 31.5 inch / 80 cm
- Display Screen Coating: Anti-Glare, 3H, Haze 25%
- Effective viewing area: $698.4 \text{ (H)} \times 392.9 \text{ (V)} \text{ mm}$ at a 1500R curvature*
- Aspect ratio: 16:9
- Maximum resolution: 1920 x 1080 @ 240 Hz*
- Pixel Density: 70 PPI
- Response time (typical): 4 ms (Gray to Gray)*
- MPRT: 0.5 ms
- · Low Input Lag
- Brightness: 250 cd/m²
- SmartContrast: Mega Infinity DCR
- Contrast ratio (typical): 4000:1
- Pixel pitch: 0.364 x 0.364 mm
- Viewing angle: 178° (H) / 178° (V), @ C/R > 10
- Color gamut (typical): NTSC 100%*, sRGB 120%*
- Display colors: 16.7 M
- Scanning Frequency: 30 255 kHz (H) / 48 240 Hz
- · Flicker-free
- · LowBlue Mode
- sRGB
- AMD FreeSync™ technology: Premium

- Signal Input: DisplayPort x 1, HDMI x 2
- Sync Input: Separate Sync
- Audio (In/Out): Audio out

- · User convenience: Power On/Off, Menu/OK, Brightness/UP, Input/Down, SmartImage game/
- OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Simplified Chinese, Swedish, Turkish, Traditional Chinese, Ukrainian
- Other convenience: Kensington lock, VESA mount
- Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 10 / 8.1 / 8 / 7

Stand

• Tilt: -5/20 degree

Power

- On mode: 40.72 W (typ.)
- Standby mode: 0.5 W (typ.)
- Off mode: 0.3 W (typ.)
- Power LED indicator: Operation White, Standby mode- White (blinking)
- Power supply: Built-in, 100-240VAC, 50-60Hz

Dimensions

- Product with stand(max height): $709 \times 526 \times$
- Product without stand (mm): $709 \times 425 \times 88 \text{ mm}$
- Packaging in mm (WxHxD): 790 x 619 x 297 mm

- · Product with stand (kg): 6.84 kg
- · Product without stand (kg): 5.93 kg
- Product with packaging (kg): 9.93 kg

Operating conditions

- Temperature range (operation): 0°C to 40 °C
- Temperature range (storage): -20°C to 60 °C
- Relative humidity: 20%-80 %
- Altitude: Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m)
- MTBF: 50,000 (Excluded backlight) hour(s)

Sustainability

- · Environmental and energy: RoHS
- Recyclable packaging material: 100 %
- · Specific Substances: Mercury free, PVC / BFR free

Compliance and standards

· Regulatory Approvals: CB, CE Mark, FCC Class B, ICES-003

Cabinet

- · Color: Black
- Finish: Textured



Issue date 2022-07-02

Version: 2.0.1

12 NC: 8670 001 85222 EAN: 87 12581 79637 2 © 2022 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com

- Radius of the arc of the display curvature in mm
- * The maximum resolution works for either HDMI input or DP input. * For best output performance, please always ensure that your graphic card is capable of achieving the maximum resolution and refresh rate of this Philips display.
- * Response time value equal to SmartResponse

 * MPRT is to adjust brightness for blur reduction, so cannot adjust brightness while MPRT is turned on. To reduce motion blur, LED backlight will strobe synchronously with screen refresh, which may
- cause noticeable brightness change.

 * MPRT is gaming-optimized mode. Turn on MPRT may cause noticeable screen flickering. It is recommended to turn off when you are not using the gaming function.

 * NTSC Area based on CIE1976

 * sRGB Area based on CIE1931

- * 2020 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, AMD FreeSync™ and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other product names used in this publication are for identification purposes only and may be trademarks of their respective companies
- * The monitor may look different from feature images.