

LCD monitor with MultiView

- UltraWide 21:9
- 29" / 73 cm,
- 2560 × 1080

298X4Q|AB/27

# Panoramic view, Crystalclear images

with UltraWide, MultiView display

This Philips UltraWide 29" display will amaze you with its Crystalclear 2560x1080 images and brilliant colors. Its fascinating 21:9 AHIPS screen with Ultra Narrow Bezel gives you a panoramic view of the world.

# **Benefits**

# Brilliant performance

- Panoramic 21:9 AH-IPS screen gives brilliant images
- Crystalclear UltraWide HD with 2560x1080 pixels
- · Less eye fatigue with Flicker-free technology
- · MultiView enables active dual connect and view at same time
- · Display Port for daisy chain multi-display usage
- Built-in stereo speakers for multimedia

# Easy to experience

• SmartControl for easy performance tuning

- SmartConnect with HDMI, Display port and Dual link DVI
- SmartKolor for rich vibrant images
- SmartTxt for a optimized reading experience
- SmartImage premium for easy image setup

# Stylish design

- Minimalistic looks with Ultra Narrow Bezel
- Stylish base with tilt function

## **Features**

# Panoramic 21:9 AH-IPS screen

This latest Philips display uses advanced 21:9 panoramic AH-IPS panel with True 8 bit color depth resulting in superb color accuracy. Philips' TrueVision

technology achieves more than 99% sRGB color space with a delta-E of less than 3, far tighter than Windows specification. 21:9 format makes it perfectly suitable for more spreadsheets columns to be viewed. Its 178/178 degree



viewing angle allows for best graphic designing, web applications, photo retouching amongst others. You can now open 2 full size side by side Internet pages, navigate multiple applications and do multi-tasking with ease.

#### Crystalclear images

These latest Philips screens deliver Crystalclear, Quad HD 2560x1440 or 2560x1080 pixel images. Utilizing high performance panels with high density pixel count, 178/178 wide viewing angles, enabled by high bandwidth sources like Displayport, HDMI, Dual link DVI, these new displays will make your images and graphics come alive. Whether you are demanding professional requiring extremely detailed information for CAD-CAM solutions, using 3D graphic applications or a financial wizard working on huge spreadsheets, Philips displays will give you Crystalclear images.

#### Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

#### MultiView technology

With the ultra high resolution Philips MultiView display you can now experience a world of connectivity in a comfortable way whether at office or at home. MultiView enables active dual connect and view so that you can work with multiple devices like PC and Notebook side-by-side simultaneously, making complex multi-tasking work a breeze. Watching live football feed from your set-top box on right side, while browsing the Internet from your notebook on the left is now easy. You may want to keep an eye on the live news feed with audio in the small window, while working on your latest blog.

# Ultra Narrow Bezel

Utilizing latest technology panels, the new Philips displays are designed with minimalistic approach by limiting the outer bezel thickness to about 2.5mm. Combined with in-panel black matrix strip of around 9mm, the overall bezel dimensions are reduced significantly allowing for minimal distractions and maximum viewing size. Especially suited for multi-display or tiling setup like gaming, graphics design and professional applications, the Ultra narrow bezel display gives you the feeling of using one large display.

# Display Port with Daisy Chain

This Philips display employs Display port 1.2a Multi Stream Transport (MST) technology with HBR2, which doubles the data throughput to 21.6 Gbps. This enables it to daisy chain multiple monitors, thereby increasing your efficiency dramatically. This daisy chain, multi-monitor capability makes this Philips display especially suitable for use in Finance, Banking, control room and other similar environment. To make use of this feature, your PC Graphics Card must be certified to DP1.2 with MST option. For detailed information, please visit http://www.displayport.org/

# SmartControl for easy tuning

PC software for fine tuning display performance and settings. Philips offers users two choices for display setting adjustment. Either navigate the multilevel On Screen Display menu through buttons on the display itself or use the Philips SmartControl software to easily adjust the various display settings in a familiar way

#### **SmartConnect**

With a plethora of connectivity, these Philips displays come equipped with multi connections like Dual link DVI, Display Port, universal HDMI connector, enabling you to enjoy high resolution uncompressed video and audio content. Regardless of what source you use, you can rest assured that this Philips display will ensure your investment is not made obsolete any time soon!

#### SmartKolor





W 00000 000

SmartKolor Off

SmartKolor is a sophisticated color extension technology that is able to enhance visual color range of the display. By boosting RGB gain level of the display, this feature enables you to have rich, vibrant images for experiencing outstanding photos and videos.

#### Built-in stereo speakers

A pair of high quality stereo speakers built into a display device. It can be visible front firing, or invisible down firing, top firing, rear firing, etc depending on model and design.

#### SmartTxt





SmartTxt

SmartTxt is a sophisticated algorithm that enhances reading of text based application such as PDF documents or ebooks which usually requires more focus and concentration. SmartTxt feature increases the contrast and boundary sharpness of text content for better readability. Optimization for reading is done by adjusting the display's gray level scale along with white balance, brightness and contrast.

# SmartImage

SmartImage is an exclusive leading edge Philips technology that analyzes the content displayed on your screen and gives you optimized display performance. This user friendly interface allows you to select various modes like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimizes the contrast, color saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

# **Specifications**

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

# Picture/Display

LCD panel type AH-IPS LCD Backlight type W-LED system Panel Size 29 inch / 73 cm 672.76 (H) x 283.82 (V) Effective viewing area

Aspect ratio 21:9 Optimum resolution 2560 x 1080 @ 60Hz

Response time 14 ms

(typical)

5 ms (Gray to Gray) SmartResponse

(typical) Brightness

300 cd/m<sup>2</sup> Contrast ratio 1,000:1 (typical)

20,000,000 :1 SmartContrast Pixel pitch 0.262 x 0.262 mm Viewing angle 178° (H) / 178° (V) @ C/R > 10 SmartImage Picture enhancement

Display colors 16.7 M (True 8 bit)

Scanning Frequency 30 - 90 kHz (H) / 56 - 75 Hz (V)

sRGB Yes

# Connectivity

Signal Input DisplayPort

DVI-Dual Link (digital, HDCP)

HDMIx2 Sync Input

Separate Sync Sync on Green PC audio-in Headphone out

# Convenience

Audio (In/Out)

**Built-in Speakers** 2Wx2 MultiView PIP/PBP mode 2x devices SmartImage User convenience Multiview

Menu Power On/Off User

English OSD Languages French German Italian

Portuguese Russian Simplified Chinese Spanish

Other convenience Kensington lock

VESA mount (100×100mm) DDC/CI

Plug & Play Compati-

bility

Mac OS X Windows 8/7/XP

# Stand

Tilt -5/20 degree

# Power

On mode 33.3 W (typ.) (EnergyStar 6.0 test

method)

0.3 W (typ) Standby mode

Zero watts with Zero switch Off mode Power LED indicator Operation - White Standby mode- White (blinking)

Power supply

100-240VAC, 50-60Hz

#### **Dimensions**

700 x 426 x 197 mm Product with stand (mm) Product with stand in  $27.6 \times 16.8 \times 7.8$  inch inch

Product without  $700 \times 330 \times 59 \text{ mm}$ stand (mm)

Product without  $27.6 \times 13.0 \times 2.3$  inch stand in inch 782 x 505 x 159 mm Packaging in mm

(WxHxD) Packaging in inch (WxHxD) 30.8 x 19.9 x 6.3 inch

# Weight

Product with stand 6.36 kg Product with stand 13.99 lb (lb) Product without 5.70 kg stand (kg) Product without 12.54 lb stand (lb) Product with pack-8.85 kg

aging (kg) Product with pack-

aging (lb)

# Operating conditions

Temperature range  $0^{\circ}$ C to  $40^{\circ}$ C  $^{\circ}$ C (operation) -20°C to 60°C °C

Temperature range

(storage)

Relative humidity

Altitude

20%-80 % Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m)

19.47 lb

MTBF 30,000 hour(s)

# Sustainability

Environmental and energy

EnergyStar 6.0 EPEAT Gold\* RoHS Lead-free Mercury Free 100 %

Recyclable packaging

material


# Compliance and standards

Regulatory Approvals **BSMI** 

CE Mark FCC Class B **GOST** SASO SEMKO TCO 6.0 TUV Ergo TUV/GS UL/cUL WEEE

# Cabinet

Front bezel Black Rear cover Black Foot Black Finish Texture



<sup>\* &</sup>quot;IPS" word mark / trademark and related patents on technologies belong to their respective owners.

\* EPEAT Gold is valid only where Philips registers the product. Please visit www.epeat.net for registration status in your country.



data subject to change 2016, November 12

Version: 4.1.1 UPC: 609585229518 © 2016 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com