Pre-sales leaflet for United Kingdom (2018, October 23)



LCD monitor with PowerSensor

- B Line 22 (21.5"/54.6 cm diag.) Full HD (1920 x 1080)

221B7QP|EB/00

Crisp views, efficient performance

with PowerSensor

The Philips PowerSensor display using 85% post consumer recycled plastics and PVC, BFR-free housing is ideal for eco-friendly productivity

Benefits

Brilliant performance

- IPS technology for full colours and wide viewing angles
- Narrow-border display for a seamless appearance
- · SmartImage pre-sets for easy optimised image settings

Designed for comfortable productivity

- · LowBlue Mode for easy-on-the-eyes productivity
- · Less eye fatigue with Flicker-Free technology
- · SmartErgoBase enables user-friendly ergonomic adjustments

Features for the way you work

- · Built-in stereo speakers for multimedia
- SmartConnect with DisplayPort, HDMI and VGA connections
- USB 3.0 enables fast data transfers and smart phone charging

Sustainable Eco-design

- PowerSensor saves up to 80% energy costs
- 85% post consumer recycled plastics with TCO Edge

PHILIPS

Features

IPS technology



IPS displays use advanced technology that gives you extra-wide viewing angles of 178/178 degrees, making it possible to view the display from almost any angle — even in 90-degree Pivot mode! Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colours, making it ideal not only for Photos, films and web browsing, but also for professional applications that demand colour accuracy and consistent brightness at all times.

Ultra-narrow Border



The new Philips displays feature ultra-narrow borders which allow for minimal distractions and maximum viewing size. Especially suited for multi-display or tiling setups like gaming, graphic design and professional applications, the ultra-narrow border display gives you the feeling of using one large display.

SmartImage



SmartImage is an exclusive leading edge Philips technology that analyses the content displayed on your screen and optimises your display performance. This user-friendly interface allows you to select various modes, like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimises the contrast, colour saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time at the touch of a single button!

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave-length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, the Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

Flicker-Free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-Free technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

SmartErgoBase



The SmartErgoBase is a monitor base that delivers ergonomic display comfort and provides cable management. The user-friendly height, swivel, tilt and rotation angle adjustments of the base allow the monitor to be positioned for maximum comfort to help ease the physical strains of a long workday. In addition, cable management reduces cable clutter and keeps the workspace neat and professional.


Built-in stereo speakers

A pair of high-quality stereo speakers built into a display device. They may be visible front firing, or invisible down firing, top firing, rear firing etc. depending on model and design.

SmartConnect

With a plethora of connectivity, these Philips displays come equipped with multiple connections like VGA, Display Port and universal HDMI connector, enabling you to enjoy high-resolution uncompressed video and audio content. USB connections ensure that you can have super-speed data transfers while having global connectivity. Regardless of what source you use, you can rest assured that this Philips display will ensure your investment is not made obsolete any time soon!

PowerSensor



PowerSensor is a built-in 'people sensor' that transmits and receives harmless infrared signals to determine if the user is present and then automatically reduces monitor brightness when then user steps away from the desk, cutting energy costs by up to 80 percent and prolonging monitor life

USB 3.0 super speed

Super-Speed USB 3.0 deploys a 5.0 gbit/s transfer rate, which is about 10 times faster than the USB 2.0 standard, significantly reducing data transfer time and saving you time and money. With more bandwidth, super-speed transfer rates, better power management and superior overall performance, USB 3.0 sets the latest global standard allowing you to use large-capacity storage devices. Sync-N-Go technology ensures you don't have to wait for bandwidth to be freed up any more. Your investment in USB 2.0 devices is protected as it is backwards-compatible.

TCO Edge

TCO Edge certification is given to products that go beyond existing ecolabelling programmes. Over and above standard TCO requirements, it further mandates that the product should use a minimum of 85% of post consumer recycled plastics, be energy efficient, use minimal hazardous materials, have

100% recyclable packaging and be designed for easy recycling, amongst other requirements. You can rest assured that this Philips monitor is a cutting-edge technology product, which is best in class ICT, benefitting you and the planet while helping you make a responsible green IT purchase!

Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

Picture/Display

LCD panel type Backlight type Panel Size Effective viewing area Aspect ratio Optimum resolution Response time (typical) Brightness Contrast ratio (typical) SmartContrast Pixel pitch Viewing angle

Flicker-free Picture enhancement Display colours Scanning Frequency sRGB

Connectivity

Signal Input

USB Sync Input

Audio (In/Out)

Convenience

Built-in Speakers User convenience

Control software OSD Languages

Other convenience

Plug and Play Compatibility **IPS** technology W-LED system 21.5 inch/54.6 cm 476.1 (H) x 267.8 (V) 16:9 1920 x 1080 @ 60 Hz 5 ms (Grey to Grey)*

2.50 cd/m² 1000:1

20,000,000:1 0.248 x 0.248 mm 178° (H)/178° (V) @ C/R > 10 Yes SmartImage 16.7 M 30 - 83 kHz (H) / 56 - 76 Hz (V) Yes

VGA (Analogue) DisplayPort 1.2 HDMI 1.4 USB 3.0 x 2 (1 w/fast charging)* Separate Sync Sync on Green PC audio-in Headphone out

2 W x 2 SmartImage Input PowerSensor Menu Power On/Off LowBlue Mode SmartControl Brazil Portuguese Czech Dutch English Finnish French German Greek Hungarian Italian Japanese Korean Polish Portuguese Russian Simplified Chinese Spanish Swedish Traditional Chinese Turkish Ukrainian Kensington lock VESA mount (100 x 100 mm) DDC/CI Mac OS X sRGB

Height adjustment Pivot Swivel

Stand

130 mm 90 degree -175/+175 degree -5/20 degree

10.7 W (typ.)

Operation - White

0°C to 40°C °C

20%-80% %

PowerSensor

TCO edge

RoHS

100 %

85%

EnergyStar 7.0 EPEAT Gold*

-20°C to 60°C °C

Operation: +12.000 ft (3658 m), Non-

operation: +40,000 ft (12,192 m)

70,000 hrs (excluded backlight)

100-240 VAC, 50-60 Hz

method) <0.3 W (typ.)

Built-in

14.6 W (typ.) (EnergyStar 7.0 test

Zero watts with Zero switch

Standby mode - White (flashing)

Windows 10 / 8.1 / 8 / 7

Tilt Power

ECO mode On mode

Standby mode Off mode Power LED indicator

Power supply

Dimensions

Product with stand 490 x 473 x 220 mm (max height) 490 x 302 x 52 mm Product without stand (mm) Packaging in mm (W 552 x 464 x 187 mm x H x D)

Weight

Product with stand 5.08 kg (kg) Product without 2.98 kg stand (kg) Product with pack-7.05 kg aging (kg)

Operating conditions

Temperature range (operation) Temperature range (storage) Relative humidity Altitude

MTBF (demonstrated)

Sustainability

Environmental and energy

Recyclable packaging material Post-consumer recycled plastic Specific Substances

Compliance and standards

Regulatory Approvals

CE Mark FCC Class B SEMKO cETLus

Mercury free

Lead free

PVC/BFR free housing

data subject to change 2018, October 23

CU-EAC	Rear cover	Black
TCO edge	Foot	Black
TUV Ergo	Finish	Texture
TUV/GS		
WEEE	What's in the box?	
EPA ICES-003 KUCAS SASO UKRAINIAN	Monitor with stand Cables User Documentation	Yes D-Sub cable, DP cable, Audio cable, Power cable Yes

Cabinet

Front bezel

Black

 \ast "IPS" word mark / trademark and related patents on technologies belong to their respective owners.

* EPEAT Gold or Silver is valid only where Philips registers the product. Please visit www.epeat.net for registration status in your country.
* Fast charging complies with USB BC 1.2 standard
* Response time value equal to SmartResponse



data subject to change 2018, October 23 Version: 1.0.1

EAN: 8712581740214

© 2018 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com