



LED-backlit LCD monitor

- E Line
- 24 (Viewable 23.6"/59.9 cm)
- Full HD (1920 x 1080)

247E6QDAD/01

## Vivid colours, crisp details

in an elegant design

This brilliant IPS-ADS display offers stunning visuals wrapped in an elegance-inspired design for a light and fresh face in any home or office.

### Benefits

#### Superb Picture Quality

- IPS-ADS wide-view technology for image and colour accuracy
- 16:9 Full HD display for crisp, detailed images
- SmartImage Lite for easy optimised image settings
- SmartControl Lite: For quick and easy display tuning
- SmartContrast for deep black level details

#### Elegant Design

- Modern Touch controls complement the design

- Elegant, slim design complements your home decor
- Superb black cherry glossy finish

#### Experience immersive multimedia

- MHL technology for enjoying mobile content on a big screen
- HDMI-ready for Full HD entertainment
- Built-in 3 x 2-watt RMS speakers

**PHILIPS**

## Features

### IPS-ADS technology



IPS-ADS displays use an advanced technology that gives you extra-wide viewing angles of 178/178 degrees, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS-ADS displays give you remarkably crisp images with vivid colours, making them ideal not only for Photos, movies and web browsing, but also for professional applications that demand colour accuracy and consistent brightness at all times.

### 16:9 Full HD display



The Full HD screen has the widescreen resolution of 1920 x 1080p. This is the highest resolution of HD sources for the best possible picture quality. It is fully future-proof as it supports 1080p signals from all sources, including the most recent sources such as Blu-ray and advanced HD game consoles. The signal processing is extensively upgraded to support this much higher signal quality and resolution. It produces brilliant flicker-free progressive scan pictures with superb brightness and colours.

### SmartImage Lite

SmartImage Lite is an exclusive, leading edge Philips technology that analyses the content displayed on your screen. Based on a scenario you select, SmartImage Lite dynamically enhances the contrast, colour saturation and sharpness of images and videos for ultimate display performance - all in real time with the press of a single button.

### SmartControl Lite

SmartControl Lite is the next generation 3D icon-based GUI monitor control software. This allows the user to fine-tune most parameters of the monitor like Colour, Brightness, screen calibration, Multimedia, ID management etc. with the mouse.

### SmartContrast



SmartContrast is a Philips technology that analyses the contents you are displaying, automatically adjusting colours and controlling backlight intensity to

dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

### Modern Touch controls



Touch controls are intelligent, touch-sensitive icons that replace protruding buttons to allow users to adjust the monitor to their requirements. Responding to the lightest touch, Touch control gives the monitor a modern feel.

### MHL technology



Mobile High-Definition Link (MHL) is a mobile audio/video interface for directly connecting mobile phones and other portable devices to high-definition displays. An optional MHL cable allows you to simply connect your MHL-capable mobile device to this large Philips MHL display and watch your HD videos come to life with full digital sound. Now not only can you enjoy your mobile games, photos, movies or other apps on its big screen, you can simultaneously charge your mobile device so you never run out of power halfway.

### HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. An HDMI cable enables high-quality digital video and audio to be transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

### Built-in 3 x 2-watt RMS speaker

Now you can enjoy all your multimedia and social applications with stereo sound. These built-in speakers not only sound great, but also help you to get rid of external wire clutter and save valuable desktop space.

## Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

### Picture/Display

LCD panel type	IPS-ADS LCD
Backlight type	W-LED system
Panel Size	23.6 inch/59.9 cm
Effective viewing area	521.28 (H) x 293.22 (V)
Aspect ratio	16:9
Optimum resolution	1920 x 1080 @ 60 Hz

Brightness	250 cd/m <sup>2</sup>
Response time (typical)	5 ms (Grey to Grey)*
Contrast ratio (typical)	1000:1
SmartContrast	20,000,000:1
Pixel pitch	0.2715 x 0.2715 mm

data subject to change  
2018, September 7

Viewing angle	178° (H)/178° (V) @ C/R > 10
Picture enhancement	SmartImage Lite
Display colours	16.7 M
Scanning Frequency	30–83 kHz (H)/56–75 Hz (V)
MHL	1080P @ 60 Hz
sRGB	Yes

#### Connectivity

Signal Input	VGA (Analogue) DVI-D (digital, HDCP) MHL-HDMI (digital, HDCP)
Sync Input	Separate Sync Sync on Green
Audio (In/Out)	Headphone out PC audio-in

#### Convenience

Built-in Speakers	3 W x 2
User convenience	Power On/Off Menu Volume Input SmartImage Lite
OSD Languages	Brazil Portuguese Czech Dutch English Finnish French German Greek Hungarian Italian Japanese Korean Polish Portuguese Russian Simplified Chinese Spanish Swedish Traditional Chinese Turkish Ukrainian
Other convenience	Kensington lock
Plug and Play Compatibility	DDC/CI Mac OS X sRGB Windows 7 Windows 8

#### Stand

Tilt	-5/20 degree
------	--------------

#### Power

On mode	16.23 W (typ.) (EnergyStar 6.0 test method)
Standby mode	0.5 W (typ.)
Off mode	0.3 W (typ.)

Power LED indicator	Operation - White Standby mode - White (flashing)
Power supply	External 100-240 VAC, 50-60 Hz

#### Dimensions

Product with stand (mm)	561 x 429 x 212 mm
Product without stand (mm)	561 x 347 x 43 mm
Packaging in mm (W x H x D)	598 x 490 x 100 mm

#### Weight

Product with stand (kg)	3.65 kg
Product without stand (kg)	3.27 kg
Product with packaging (kg)	4.90 kg

#### Operating conditions

Temperature range (operation)	0°C to 40°C °C
Temperature range (storage)	-20°C to 60°C °C
Relative humidity	20%–80% %
Altitude	Operation: +12,000 ft (3658 m), Non-operation: +40,000 ft (12,192 m)
MTBF	50,000 (excluding backlight) hour(s)

#### Sustainability

Environmental and energy	EnergyStar 6.0 EPEAT Silver RoHS Lead-free Mercury Free
Recyclable packaging material	100 %

#### Compliance and standards

Regulatory Approvals	BSMI CE Mark cETLus FCC Class B GOST PSB SASO SEMKO TCO 6.0 TUV/ISO9241-307 WEEE
----------------------	--

#### Cabinet

Colour	Black Cherry
Finish	Glossy

\* This Philips display is MHL-certified. However, if your MHL device does not connect or work correctly, check with your MHL device FAQ or vendor directly for instructions. The policy of your device manufacturer may require you to purchase its brand-specific MHL cable or adapter in order for it to work

\* Requires optional MHL-certified mobile device and MHL cable (not included). Please check with your MHL device vendor for compatibility.

\* Standby/Off energy saving of ErP is not applicable for the MHL charging functionality

\* For a complete list of MHL-enabled products, refer to [www.mhlconsortium.org](http://www.mhlconsortium.org)

\* "IPS" word mark / trademark and related patents on technologies belong to their respective owners.

\* Response time value equal to SmartResponse



data subject to change  
2018, September 7

Version: 1.0.1  
EAN: 8712581741846

© 2018 Koninklijke Philips N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

[www.philips.com](http://www.philips.com)