

Curved LCD monitor with Ultra Wide-Color

- 32 (31.5" / 80 cm diag.) Quad HD (2560 x 1440)

328E9F|AB/27

Stunning color, ultimate immersion

with Crystal-clear details

Experience real immersion with Philips Curved Monitors. The 32" curved E line monitor offers a truly immersive experience with stunning crystal-clear QHD image quality. Ultra wide-color gives color quality that brings your images alive!

Benefits

Curved design inspired by the world around us

• Curved display design for more immersive experience

Superb Picture Quality

- Ultra Wide-Color wider range of colors for a vivid picture
- VA display delivers awesome images with wide viewing angles
- Crystalclear images with Quad HD 2560 x 1440 pixels
- Effortlessly smooth gameplay with AMD FreeSync[™] technology

Features designed for you

- Narrow border display for a seamless appearance
- · Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity
- Built-in stereo speakers for multimedia
- · HDMI ensures universal digital connectivity
- DisplayPort connection for maximum visuals



Features

Curved display design



Desktop monitors offer a personal user experience, which suits a curve design very well. The curved screen provides a pleasant yet subtle immersion effect, which focuses on you at the center of your desk.

Ultra Wide-Color Technology



Ultra Wide-Color Technology delivers a wider spectrum of colors for a more brilliant picture. Ultra Wide-Color wider "color gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring, media entertainment, images, and even productivity more alive and vivid colors from Ultra Wide-Color Technology.

VA display



Philips VA LED display uses an advanced multi-domain vertical alignment technology which gives you super-high static contrast ratios for extra vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web-browsing, movies, gaming, and demanding graphical applications. It's optimized pixel management technology gives you 178/178 degree extra wide viewing angle, resulting in crisp images.

Crystalclear images

These latest Philips screens deliver Crystalclear, Quad HD 2560x1440 or 2560x1080 pixel images. Utilizing high performance panels with high density pixel count, enabled by high bandwidth sources like Displayport, HDMI, Dual link DVI, these new displays will make your images and graphics come alive. Whether you are demanding professional requiring extremely detailed information for CAD-CAM solutions, using 3D graphic applications or a financial wizard working on huge spreadsheets, Philips displays will give you Crystalclear images.

Ultra-smooth gaming



Gaming shouldn't be a choice between choppy gameplay or broken frames. With the new Philips monitor it doesn't have to be. Get fluid, artifact-free performance at virtually any framerate with AMD FreeSync $^{\text{TM}}$ technology, smooth quick refresh and ultra-fast response time.

UltraNarrow Border



The new Philips displays feature ultra-narrow borders which allow for minimal distractions and maximum viewing size. Especially suited for multi-display or tiling setup like gaming, graphic design and professional applications, the ultra-narrow border display gives you the feeling of using one large display.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

Built-in stereo speakers

A pair of high quality stereo speakers built into a display device. It can be visible front firing, or invisible down firing, top firing, rear firing, etc depending on model and design.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

DisplayPort connection





DisplayPort is a digital link from PC to Monitor without any conversion. With higher capabilities than DVI standard, it is fully capable to support up to

Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

Picture/Display

LCD panel type VA LCD Backlight type W-LED system Panel Size 31.5 inch / 80 cm Anti-Glare, Haze 25% Display Screen

Coating

697.3 (H) x 392.3 (V) - at a 1800R Effective viewing area

curvature*

Aspect ratio 2560 x 1440 @ 75 Hz* Maximum resolution

93 PPI Pixel Density

5 ms (Gray to Gray)* Response time

(typical) Brightness

250 cd/m² 3000:1 Contrast ratio

(typical) 20,000,000:1 SmartContrastPixel pitch 0.272 x 0.272 mm Viewing angle 178° (H) / 178° (V) @ C/R > 10

Flicker-free Yes

Picture enhancement SmartImage game

Color gamut (typical) NTSC 102%*, sRGB 122.6%*

Display colors 16.7 M

Scanning Frequency 70 - 115 kHz (H) / 48 - 75 Hz (V)

LowBlue Mode Yes FreeSync Yes sRGB Yes

Connectivity

Signal Input VGA (Analog)

DisplayPort

HDMI (digital, HDCP)

Sync Input Separate Sync Sync on Green Audio (In/Out) PC audio-in Headphone out

Convenience

Built-in Speakers $3W \times 2$

Power On/Off User convenience Menu

> Brightness Input

SmartImage Game

OSD Languages Brazil Portuguese

Czech Dutch English Finnish French

German Greek Hungarian Italian Japanese Korean Polish Portuguese

Russian Simplified Chinese Spanish Swedish

Traditional Chinese

15meter cables and 10.8 Gbps/sec data transfer. With this high performance and zero latency, you get the fastest imaging and refresh rates - making DisplayPort the best choice for not only general office or home use, but also for the demanding gaming and movies, video editing and more. It also keeps

> Turkish Ukranian

Other convenience Kensington lock

interoperability in mind via use of various adapters.

VESA mount (100x100mm)

Plug & Play Compati-DDC/CI bility Mac OS X sRGB

Windows 10 / 8.1 / 8 / 7

Stand

Tilt -5/20 degree

Power

On mode 60.35 W (typ.) Standby mode < 0.5 W (typ.) < 0.3 W (typ.) Off mode Operation - White Power LED indicator

Standby mode- White (blinking) Power supply

Internal

100-240VAC, 50-60Hz

 $28.1 \times 20.6 \times 9.3$ inch

713 x 425 x 52 mm

 $28.1 \times 16.7 \times 2.0$ inch

Dimensions

Product with stand 713 x 525 x 236 mm

(mm)

Product with stand in

inch

Product without

stand (mm)

Product without stand in inch

Packaging in mm

(WxHxD)

Packaging in inch

827 x 626 x 233 mm

 $32.6 \times 24.6 \times 9.2$ inch

(WxHxD)

Weight

Product with stand 6.78 kg

(kg)

Product with stand 14.92 lb

(lb)

Product without 6.40 kg

stand (kg) Product without

14.08 lb stand (lb)

Product with pack-

aging (kg)

Product with pack-

aging (lb)

10.45 kg

22.99 lb

Operating conditions

Temperature range

(operation)

Temperature range (storage)

-20°C to 60°C °C

0°C to 40°C °C

Relative humidity 20%-80 %

> data subject to change 2018, November 9

Operation: +12,000ft (3,658m), Non-Altitude

operation: +40,000ft (12,192m) 50,000 hrs (excluding backlight)

MTBF

hour(s)

Sustainability

Environmental and RoHS energy

Lead-free Mercury Free

WEEE

Recyclable packaging

material

100 %

Compliance and standards

Regulatory Approvals CE Mark

FCC Class B

CU-EAC

TUV/ISO9241-307

CBcETLus

Cabinet

Color Black / Silver Finish Glossy

What's in the box?

Monitor with stand Yes

D-Sub cable, HDMI cable, Audio Cables

cable, Power cable'

User Documentation

- * Radius of the arc of the display curvature in mm
- * The maximum resolution works for either HDMI input or DP input.
- * Response time value equal to SmartResponse
- * NTSC Area based on CIE1976
- * sRGB Area based on CIE 1931
- * 2015 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, FreeSync and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other names are for informational purposes only and may be trademarks of their respective owners.
- * The monitor may look different from feature images.



data subject to change 2018, November 9

Version: 1.0.1 UPC: 609585252561 © 2018 Koninklijke Philips N.V.

All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com