Philips UltraWide LCD monitor

E Line 34" (86.36 cm) 3440 x 1440 (WQHD)

346E2CUAE



Simplify your connections with USB-C

The Philips E line curved UltraWide display offers expansive panoramic visuals. A WQHD display with an ergonomic stand make for optimal viewing conditions. All-in-one USB-C and MultiView meet the need for productivity.

Single cable USB-C connection

• Connect your notebook with one USB-C cable

Superb Picture Quality

- CrystalClear images with UltraWide QHD 3440 x 1440 pixels
- VA display delivers awesome images with wide viewing angles

Good for Gaming

- AMD FreeSync[™] Premium; tear free, stutter free, fluid gaming
- 1 ms (MPRT) fast response for crisp images and smooth gameplay

Features designed for you

- · Less eye fatigue with Flicker-Free technology
- · LowBlue Mode for easy-on-the-eyes productivity
- MultiView enables simultaneous dual connection and view
- · Cable management reduces cable clutter for a neat workspace
- · Tilt and height-adjust for an ideal viewing position



UltraWide LCD monitor E Line 34" (86.36 cm), 3440 x 1440 (WQHD)


Highlights

USB-C connection



This Philips display features a USB type-C connector with power delivery. With intelligent and flexible power management, you can power charge your compatible device directly. Its slim, reversible USB-C allows for easy, one-cable connection. You can watch high-resolution video and transfer data at super speed, while powering up and recharging your compatible device at the same time.

VA display



The Philips VA LED display uses an advanced multi-domain vertical alignment technology that gives you super-high static contrast ratios for extra-vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web browsing, films, gaming and demanding graphical applications. Its optimised pixel management technology gives you a 178/178 degree extra-wide viewing angle, resulting in crisp images.

UltraWide CrystalClear images



These Philips screens deliver Crystal Clear, UltraWide Quad HD 3440 x 1440 pixel images. Utilising high-performance panels with high-density pixel count and 178/178 wide viewing angles, these new displays will make your images and graphics come alive. The UltraWide 21:9 format enables more productivity with more room for side-by-side comparisons and more viewable spreadsheet columns. Whether you are a demanding professional requiring extremely detailed information for CAD-CAM solutions or a financial wizard working on huge spreadsheets, Philips displays deliver Crystal Clear images.

AMD FreeSync™ Premium



AMD FreeSync[™] OFF

Gaming shouldn't be a choice between choppy gameplay or broken frames. AMD FreeSync™ Premium equips serious gamers with a fluid, tear-free gameplay experience at peak performance. There are no compromises,

game confidently with a high refresh rate, low framerate compensation and low latency.

1 ms MPRT fast response



MPRT (motion picture response time) is a more intuitive way to describe response time, which directly refers to the duration between seeing blurry noise and clean, crisp images. The Philips gaming monitor with 1 ms MPRT effectively eliminates smearing and motion blur and delivers sharper and more precise visuals to enhance your gaming experience. The best choice for playing thrilling and twitch-sensitive games.

Flicker-Free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-Free technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.



















LowBlue Mode

Specifications

Picture/Display

- LCD panel type: VA LCD
- Backlight type: W-LED system
- Panel Size: 34 inch / 86.36 cm
- Display Screen Coating: Anti-Glare, 3H, Haze 25%
 Effective viewing area: 797.22 (H) x 333.72 (V) mm
- at a 1500R curvature* • Aspect ratio: 21:9
- Maximum resolution: 3440 x 1440 @ 100 Hz*
- Pixel Density: 110 PPI
- Response time (typical): 4 ms (Grey to Grey)* • MPRT: 1 ms
- Brightness: 300 cd/m²
- Contrast ratio (typical): 3000:1
- SmartContrast: Mega Infinity DCR
- Pixel pitch: 0.23175 x 0.23175 mm
- Viewing angle: 178° (H)/178° (V), @ C/R > 10 Flicker-free
- · Picture enhancement: SmartImage game
- Colour gamut (typical): NTSC 99.5%*, sRGB 121.3%*
- Display colours: 16.7 M • Scanning Frequency: 30-160 kHz (H)/48-100 Hz (V)
- LowBlue Mode
- EasyRead
- sRGB
- AMD FreeSync[™] technology: Premium

Connectivity

- Signal Input: DisplayPort 1.2 x 1, HDMI 2.0 x 1
- Sync Input: Separate Sync
- ÚSB:: USB-C x 1, USB 3.2 x 4 (downstream with 1 fast charge B. C 1.2)
- Audio (In/Out): Audio out

USB

- DP: Built-in Display Port Alt mode
- Super speed: Data and Video transfer
- Power delivery: USB PD version 3.0
- USB-C max. power delivery: Up to 65 W (5 V/3 A, 7 V/3 A, 9 V/3 A, 10 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/3.25 A)

Convenience

- Built-in Speakers: 5 W x 2
- MultiView: PIP/PBP mode, 2 x devices
- User convenience: Power On/Off, Menu, Volume,
- Input, SmartImage Game OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
- Other convenience: Kensington lock, VESA mount

(100 x 100 mm)

• Plug and Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 10 / 8.1 / 8 / 7

Stand

- Height adjustment: 100 mm
- Tilt: -5/20 degree

Power

- On mode: 41.6 W (typ.)
- Standby mode: 0.5 W (typ.)
- Off mode: 0.3 W (typ.)
- · Energy Label Class: G
- Power LED indicator: Operation White, Standby mode - White (flashing)
- Power supply: Internal, 100-240 VAC, 50-60 Hz

Dimensions

- Product with stand (max height): 807 x 495 x
- 257 mm
- Product without stand (mm): 807 x 367 x 110 mm
- Packaging in mm (W x H x D): 980 x 500 x 224 mm

Weight

- Product with stand (kg): 10.05 kg
- Product without stand (kg): 7.83 kg
- Product with packaging (kg): 13.06 kg

Operating conditions

- Temperature range (operation): 0 to 40 °C
- Temperature range (storage): -20 to 60 °C
- Relative humidity: 20%-80 %
- Altitude: Operation: +12,000 ft (3658 m), Nonoperation: +40,000 ft (12,192 m)
- MTBF: 50,000 hrs (excluding backlight) hour(s)

Sustainability

- Environmental and energy: RoHS
- Recyclable packaging material: 100 %
- Specific Substances: Mercury free, PVC/BFR free housing

Compliance and standards

• Regulatory Approvals: cETLus, CB, TUV/GS, TUV Ergo, CU-EAC, EAEU RoHS, CE Mark, FCC Class B, ICES-003, UKRAINIAN

Cabinet

• Colour: Black Finish: Textured

What's in the box?

- · Monitor with stand
- Cables: USB-C to USB-C cable. Power cable
- User Documentation

- The maximum resolution works for either HDMI input or DP input. * For best output performance, please always ensure that your graphic
- card is capable of achieving the maximum resolution and refresh rate
- of this Philips display.
- Response time value equal to SmartResponse * MPRT adjusts the brightness for blur reduction, so the brightness cannot be adjusted while MPRT is turned on. To reduce motion blur, the LED backlight will strobe in time with the screen refresh rate.
- which may cause a noticeable change in brightness. * MPRT is a gaming-optimised mode. Turning on MPRT may cause
- noticeable screen flickering. It is recommended to turn this mode off when you are not using the gaming function. * NTSC Area based on CIE 1976 * sRGB Area based on CIE1931
- * 2020 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, AMD FreeSync[™] and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other product names used in this publication are for identification purposes only and may
- be trademarks of their respective companies. * For USB-C power and charging function, your Notebook/device must support USB-C standard Power Delivery specifications. Please check with your Notebook user manual or manufacturer for more details
- ^k For Video transmission via USB-C, your Notebook/device must support USB-C DP Alt mod
- * The monitor may look different from feature images.

DHIID

Version: 6.0.1

Issue date 2022-06-10

All Rights reserved. Specifications are subject to change without notice.

© 2022 Koninklijke Philips N.V.

www.philips.com

Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

12 NC: 8670 001 70034 EAN: 87 12581 77067 9 46E2CUAE/01