

LCD monitor

- V Line
- 24" (61 cm)

246V5LHAB/27

Enjoy great LED pictures in vivid colors

with stereo speakers

Enjoy vivid LED pictures with this attractive, glossy design display. Equipped with HDMI and stereo speakers, it's a great choice!

Benefits

Vivid pictures every time

- · LED technology for vivid colors
- SmartContrast for rich black details
- 16:9 Full HD display for crisp detailed images

Modern design

- · Attractive glossy design
- · VESA mount allows for flexibility

Greener everyday

Features

LED technology

White LED's are solid state devices which light up to full, consistent brightness faster saving startup time. LED's are free from mercury content which allows for eco-friendly recycling and disposal process. LED's allow for better dimming control of LCD backlight, resulting in super high contrast ratio. It also gives

- Mercury Free eco-friendly display
- Low power consumption saves energy bills
- Energy Star for energy efficiency and low power consumption

Experience multimedia

- Powerful sound with 2x2 watts RMS speakers
- HDMI-ready for Full HD entertainment

superior color reproduction thanks to consistent brightness across the screen.



Built-in stereo speakers

Now you can enjoy all your multimedia and social applications with stereo sound. These built in speakers not only sound great, but also helps you to get rid of external wire clutter and save valuable desktop space.

SmartContrast



SmartContrast is a Philips technology that analyzes the contents you are displaying, automatically adjusting colors and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables highquality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

Mercury Free

Philips monitors with LED backlighting are free of Mercury content, one of the most toxic natural substances, which affects humans and animals. This reduces the environmental impact of the display throughout its life-cycle, from manufacturing to disposal.

Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

Picture/Display

LCD panel type TFT-LCD Backlight type W-LED system Panel Size 24 inch / 61 cm 531.36 (H) x 298.89 (V) Effective viewing area 16:9 Aspect ratio 1920 x 1080 @ 60 Hz Optimum resolution 250 cd/m² Brightness 1 ms GtG*

10,000,000:1

Response time (typical)

SmartContrast

Contrast ratio 1000:1 (typical) Pixel pitch 0.277 x 0.277 mm

Viewing angle

170° (H) / 160° (V) @ C/R > 10Display colors 16 7 M

30 -83 kHz (H) / 56 -75 Hz (V) Scanning Frequency

sRGB

Connectivity

Signal Input VGA (Analog) **HDM**Ì Sync Input Separate Sync Sync on Green Audio (In/Out) PC audio-in Headphone out

Convenience

Built-in Audio User convenience Auto/Down

 $2.0W \times 2$ Brightness/Back Menu/OK

Power On/Off Volume/Up OSD Languages

English French German Italian Portuguese Russian Spanish

Simplified Chinese . Turkish

Kensington lock Other convenience VESA mount (100x100mm)

Plug & Play Compati-DDC/CI Mac OS X

bility sRGB

Windows 10 / 8.1 / 8 / 7

Stand

Tilt -5/20 degree

Power

Standby mode

Off mode

16.86 W (EnergyStar 7.0 test On mode

method) 0.5 W (typ.) 0.3 W (typ.) Power LED indicator Operation - White

Standby mode- White (blinking)

Power supply Built-in

100-240VAC, 50-60Hz

Dimensions

565 x 435 x 238 mm Product with stand (mm) Product with stand in $22.2 \times 17.1 \times 9.4$ inch inch Product without 565 x 354 x 63 mm

stand (mm) Product without $22.2 \times 13.9 \times 2.5$ inch stand in inch 613 x 446 x 131 mm

Packaging in mm (WxHxD)

Packaging in inch (WxHxD)

 $24.1 \times 17.6 \times 5.2$ inch

Altitude **MTBF**

20%-80 % Operation: +12,000ft (3,658m), Non-operation: +40,000ft (12,192m)

30,000 hour(s)

Sustainability

Relative humidity

Environmental and energy

EnergyStar 7.0 **EPEAT** Silver RoHS Lead-free Mercury Free 100 %

Recyclable packaging

material

Compliance and standards

Regulatory Approvals

CE Mark cETLus FCC Class B GOST PSB SASO SEMKO TCO certified TUV/ISO9241-307

WEEE

BSMI

Cabinet

Color Black

Finish Glossy (front bezel) /Texture (rear

cover)

Weight

Product with stand 4.65 kg (kg) Product with stand 10.23 lb (lb) Product without 4.22 kg stand (kg) Product without 9.28 lb stand (lb)

Product with packaging (kg) Product with pack-

aging (lb)

Operating conditions

Temperature range (operation) Temperature range (storage)

0°C to 40°C °C

-20°C to 60°C °C

6.05 kg

13.31 lb

 $\ensuremath{^{*}}\xspace$ HDMI cables vary depending on region and models.

* Response time value equal to SmartResponse



data subject to change 2018, September 7

Version: 6.0.1 UPC: 609585236660 © 2018 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.