

QHD LCD Monitor with Ultra Wide-Color

- E Line
- 27" (68.6 cm) Quad HD (2560 x 1440)

276E8FJAB/27

Vivid colors in an elegant design

Colors like you've never seen before. This brilliant wide view Quad HD display with Ultra Wide-Color offers crisp images with the richest and most vivid colors on an elegant display for a your best creations yet.

Benefits

Superb Picture Quality

- Ultra Wide-Color wider range of colors for a vivid picture
- IPS LED wide view technology for image and color accuracy
- Crystalclear images with Quad HD 2560 x 1440 pixels
- Effortlessly smooth gameplay with AMD FreeSync[™] technology
- LowBlue Mode for easy on-the-eyes productivity
- · Less eye fatigue with Flicker-free technology
- · SmartImage Lite for easy optimized image settings

Elegant Design

- Narrow border display for seamless appearance
- Elegant, slim design complements your home decor

Features designed for you

- · Built-in stereo speakers for multimedia
- HDMI-ready for Full HD entertainment
- DisplayPort connection for maximum visuals



Features

Ultra Wide-Color Technology



Ultra Wide-Color Technology delivers a wider spectrum of colors for a more brilliant picture. Ultra Wide-Color wider "color gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring, media entertainment, images, and even productivity more alive and vivid colors from Ultra Wide-Color Technology.

IPS technology



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

Crystalclear images

These latest Philips screens deliver Crystalclear, Quad HD 2560x1440 or 2560x1080 pixel images. Utilizing high performance panels with high density pixel count, enabled by high bandwidth sources like Displayport, HDMI, Dual link DVI, these new displays will make your images and graphics come alive. Whether you are demanding professional requiring extremely detailed information for CAD-CAM solutions, using 3D graphic applications or a financial wizard working on huge spreadsheets, Philips displays will give you Crystalclear images.

Ultra-smooth gaming



AMD FreeSyncTM OFF AMD Free (smithter)

Gaming shouldn't be a choice between choppy gameplay or broken frames. With the new Philips monitor it doesn't have to be. Get fluid, artifact-free performance at virtually any framerate with AMD FreeSyncTM technology, smooth quick refresh and ultra-fast response time.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

UltraNarrow Border



The new Philips displays feature ultra-narrow borders which allow for minimal distractions and maximum viewing size. Especially suited for multi-display or tiling setup like gaming, graphic design and professional applications, the ultra-narrow border display gives you the feeling of using one large display.

Built-in stereo speakers

A pair of high quality stereo speakers built into a display device. It can be visible front firing, or invisible down firing, top firing, rear firing, etc depending on model and design.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables highquality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

DisplayPort connection



DisplayPort is a digital link from PC to Monitor without any conversion. With higher capabilities than DVI standard, it is fully capable to support up to 15meter cables and 10.8 Gbps/sec data transfer. With this high performance and zero latency, you get the fastest imaging and refresh rates - making DisplayPort the best choice for not only general office or home use, but also for the demanding gaming and movies, video editing and more. It also keeps interoperability in mind via use of various adapters.

SmartImage Lite

SmartImage Lite is an exclusive, leading edge Philips technology that analyzes the content displayed on your screen. Based on a scenario you select, SmartImage Lite dynamically enhances the contrast, color saturation and sharpness of images and videos for ultimate display performance - all in real time with the press on a single button.

Slim design

Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

Picture/Display

LCD panel type Backlight type Panel Size Effective viewing area Aspect ratio Optimum resolution Pixel Density Response time (typical) Brightness Contrast ratio (typical) SmartContrast Pixel pitch Viewing angle

Flicker-free Picture enhancement Color gamut (typical) Display colors Scanning Frequency LowBlue Mode FreeSync sRGB

Connectivity

Signal Input

Sync Input

Audio (In/Out)

Convenience

Built-in Speakers User convenience

OSD Languages

Other convenience Plug & Play Compatibility

IPS technology W-LED system 27 inch / 68.6 cm 596.74 (H) x 335.66 (V) 16:9 2560 x 1440 @ 60Hz 109 PPI 4 ms (Gray to Gray)* 350 cd/m² 1000:1

20,000,000:1 0.233 x 0.233 mm 178° (H) / 178° (V) @ C/R > 10 Yes SmartImage Lite NTSC 114%*, sRGB 132%* 16.7 M 54 - 84 kHz (H) / 46 - 75 Hz (V) Yes Yes Yes

VGA (Analog) DisplayPort 1.2 HDMI 1.4 Separate Sync Sync on Green PC audio-in Headphone out

3 W x 2 Power On/Off Menu Volume Input SmartImage lite Brazil Portuguese Czech Dutch English Finnish French German Greek Hungarian Italian Japanese Korean Polish Portuguese Russian Simplified Chinese Spanish Śwedish Traditional Chinese Turkish Ukranian Kensington lock DDC/ČI Mac OS X sRGB Windows 10 / 8.1 / 8 / 7

Stand Tilt

Power On mode Standby mode Off mode Power LED indicator

22.93 W (typ.) (EnergyStar 7.0 test method) 0.5 W (typ.) 0.3 W (typ.) Operation - White Standby mode- White (blinking) External 100-240VAC, 50-60Hz

-5/20 degree

Dimensions

Power supply

Product with stand (mm)	613 x 466 x 189 mm
Product with stand in inch	24.1 x 18.3 x 7.4 inch
Product without stand (mm)	613 x 374 x 41 mm
Product without stand in inch	24.1 x 14.7 x 1.6 inch
Packaging in mm (WxHxD)	660 x 523 x 135 mm
Packaging in inch (WxHxD)	$26.0 \times 20.6 \times 5.3$ inch

Weight

Product with stand 4.69 kg (kg) Product with stand 10.32 lb (lb) Product without 4.07 kg stand (kg) Product without 8.95 lb stand (lb) Product with pack-6.58 kg aging (kg) Product with pack-14.48 lb aging (lb)

Operating conditions

Temperature range (operation) Temperature range (storage) Relative humidity Altitude

MTBF

Sustainability

Environmental and energy

EnergyStar 7.0 EPEAT Silver RoHS Lead-free

Recyclable packaging material

Compliance and standards

Regulatory Approvals

Mercury Free 100 %

0°C to 40°C °C

20%-80 %

-20°C to 60°C °C

Operation: +12,000ft (3,658m), Non-

50,000 (excluding backlight) hour(s)

operation: +40,000ft (12,192m)

CE Mark FCC Class B TCO certified WEEE

CECP CU EPA RCM

Cabinet

Color Finish

Black & Gunmetal Glossy

* "IPS" word mark / trademark and related patents on technologies belong to their respective owners.

* Response time value equal to SmartResponse

* 2015 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, FreeSync and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other names are for informational purposes only and may be trademarks of their respective owners.

* NTSC Area based on CIE1976

* sRGB Area based on CIE 1931



data subject to change 2018, September 7

UPC: 609585250895

© 2018 Koninklijke Philips N.V.

Version: 4.0.1

All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com