

LCD monitor with Ultra Wide-Color

- E Line
- 27" (68.6 cm) Full HD (1920 x 1080)

276E7QDSW/27

Vivid, true-to-life colors

in an elegant design

This brilliant wide view display with Ultra Wide-Color offers true-to-life colors wrapped in an elegance-inspired design for a light and fresh face in any home or office.

Benefits

Superb Picture Quality

- Ultra Wide-Color wider range of colors for a vivid picture
- PLS LED wide-view technology for image and color accuracy
- 16:9 Full HD display for crisp detailed images
- · Less eye fatigue with Flicker-free technology
- SmartContrast for deep black level details
- SmartImage Lite for easy optimized image settings

Elegant Design

- EasySelect menu toggle key for quick on-screen menu access
- Elegant, slim design complements your home decor
- Superb glossy finish enhance your home decoration

Experience immersive multimedia

• MHL technology for enjoying mobile content on big screen



Features

Ultra Wide-Color Technology





Ultra Wide-Color Technology delivers a wider spectrum of colors for a more brilliant picture. Ultra Wide-Color wider "color gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring, media entertainment, images, and even productivity more alive and vivid colors from Ultra Wide-Color Technology.

PLS technology



PLS displays uses an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle - even in 90 degree Pivot mode! Unlike standard TN panels, PLS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free

Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

SmartContrast



SmartContrast is a Philips technology that analyzes the contents you are displaying, automatically adjusting colors and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

SmartImage Lite

SmartImage Lite is an exclusive, leading edge Philips technology that analyzes the content displayed on your screen. Based on a scenario you select, SmartImage Lite dynamically enhances the contrast, color saturation and sharpness of images and videos for ultimate display performance - all in real time with the press on a single button.

EasySelect Menu Toggle Key



The discreetly placed EasySelect Menu Toggle Key allows you to make quick and easy adjustments to monitor settings in the On-Screen Display menu.

MHL technology



Mobile High Definition Link (MHL) is a mobile audio/video interface for directly connecting mobile phones and other portable devices to high-definition displays. An optional MHL cable allows you to simply connect your MHL capable mobile device to this large Philips MHL display, and watch your HD videos come to life with full digital sound. Now not only you can enjoy your mobile games, photos, movies, or other apps on its big screen, you can simultaneously charge your mobile device so you never run out of power half way.

Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

Picture/Display

LCD panel type
Backlight type
Panel Size
Effective viewing area
Aspect ratio
Optimum resolution
PLS LCD
W-LED system
27 inch / 68.6 cm
597.9 (H) x 336.3 (V)
16:9
1920 x 1080 @ 60Hz

Response time (typical)
Brightness 250 cd/m²
Contrast ratio (typical)
SmartContrast Pixel pitch 0.311 x 0.104 mm
Viewing angle 5 ms (Gray to Gray)*
1000:1
250 cd/m²
1000:1
250 cd/m²
20,000,000:1
20,000,000:1
178° (H) / 178° (V)

Dimensions @ C/R > 10 Flicker-free Product with stand 616 x 468 x 179 mm Yes SmartImage Lite Picture enhancement (mm) NTSC 104.4% (CIE1976)* Color gamut (typical) Product with stand in $24.3 \times 18.4 \times 7.0$ inch Display colors inch 30 -83 kHz (H) / 56 -76 Hz (V) 616 x 370 x 52 mm Scanning Frequency Product without 1080P @ 30Hz МНІ stand (mm) Product without $24.3 \times 14.6 \times 2.0$ inch sRGB Yes stand in inch Connectivity Packaging in mm (WxHxD) 676 x 544 x 113 mm Signal Input VGA (Analog) Packaging in inch (WxHxD) 26.6 x 21.4 x 4.4 inch DVI-D (digital, HDCP) MHL-HDMI (digital, HDCP) Sync Input Separate Sync Weight Sync on Green Audio (In/Out) HDMI audio out Product with stand 4.33 kg (kg) Product with stand Convenience 9.53 lb (lb) User convenience Power On/Off Product without 4.08 kg Menu stand (kg) Volume (HDMI Audio out) Product without 8.98 lb Input stand (lb) SmartImage lite Product with pack-6.81 kg OSD Languages Brazil Portuguese aging (kg) Czech Product with pack-14.98 lb Dutch aging (lb) English Finnish Operating conditions French German 0°C to 40°C °C Temperature range Greek (operation) -20°C to 60°C °C Hungarian Temperature range Italian (storage) Japanese Relative humidity 20%-80 % Operation: +12,000ft (3,658m), Non-Korean Altitude Polish operation: +40,000ft (12,192m) Portuguese **MTBF** 50,000 (excluding backlight) hour(s) Russian Simplified Chinese Sustainability Spanish EnergyStar 7.0 EPEAT Silver Environmental and Swedish energy Traditional Chinese RoHS Turkish Lead-free Ukranian Mercury Free Kensington lock Other convenience Recyclable packaging 100 % VESA mount (100x100mm) material Plug & Play Compati-DDC/CI Mac OS X bility Compliance and standards sRGB Windows 8.1 / 8 / 7 Regulatory Approvals CE Mark FCC Class B Stand CU-EAC TCO certified -5/20 degree Tilt TUV/ISO9241-307 VCCI Power **RCM** 17.03 W (typ.) (EnergyStar 7.0 test WEEE On mode method) CECP 0.5 W (typ.) Standby mode Cabinet Off mode 0.3 W (typ.) Operation - White Power LED indicator White

Color

Finish

Glossy

Standby mode- White (blinking)

100-240VAC, 50-60Hz

External

Power supply

data subject to change 2018, May 27





data subject to change 2018, May 27

Version: 2.0.1 UPC: 609585251625 © 2018 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com

^{*} Standby/Off energy saving of ErP is not applicable for the MHL charging functionality

^{*} For complete list of MHL-enabled products refer to www.mhlconsortiun.org

^{*} HDMI cables vary depending on region and models.

* Response time value equal to SmartResponse

* NTSC 85% (CIE1931), sRGB: 122.9%